PRENATAL DIAGNOSIS
(*Prenat Diagn*)

Contents

VOLUME 20, ISSUE Nos. 1–13, INCLUDING SPECIAL TOPIC ISSUES

ISSUE NUMBER 1, JANUARY 2000

Original Papers

Defining the efficiency of fluorescence *in situ* hybridization on uncultured amniocytes on a retrospective cohort of 27407 prenatal diagnoses: P. Lewin, P. Kleinfinger, A. Bazin, H. Mossafa and S. Szpiro-Tapia . . . 1

Prenatal diagnosis and carrier detection for molybdenum cofactor deficiency type A in Northern Israel using polymorphic DNA markers: A. Shalata, H. Mandel, C. Dorche, M.-T. Zabot, S. Shalev, Y. Hugeirat, D. Arieh, Z. Ronit, J. Reiss, Y. Anbinder and N. Cohen . . . 7

Serum inhibin A levels in pregnant women with systemic lupus erythematosus or antiphospholipid syndrome: R. Maymon, I. K. Sehmi, A. Herman, R. G. Jones, D. Sherman and H. Cuckle . . . 12

Prenatal detection of trisomy 21: combined experience of two British hospitals: D. Roberts, S. A. Walkinshaw, M. J. McCormack and J. Ellis . . . 17

Survey of attitudes of pregnant women towards Down syndrome screening: L. N. Al-Jader, N. Parry-Langdon and R. J. W. Smith . . . 23

Fetal 'space-suit' hydrops in the first trimester: differentiating risk for chromosome abnormalities by delineating characteristics of nuchal translucency: L. P. Shulman, O. P. Phillips, D. S. Emerson, R. E. Felker and A. T. Tharapel . . . 30

Prenatal diagnosis in adenylosuccinate lyase deficiency: S. Marie, J. W. A. M. Flipsen, M. Duran, B. T. Poll-The, F. A. Beemer, A. N. Bosschaart, M. F. Vincent and G. Van den Berghe . . . 33

Parental decisions following prenatal diagnosis of sex chromosome aneuploidy: a trend over time: S. M. Christian, D. Koehn, R. Pillay, A. MacDougall and R. D. Wilson . . . 37

Cytogenetical diagnosis in paraffin-embedded fetoplacental tissue using comparative genomic hybridization: T. Ozcan, N. Burki, V. Parkash, X. Huang, T. Pejovic, M. J. Mahoney and D. C. Ward . . . 41

Differentiation between human fetal breathing patterns by investigation of breathing-related tracheal fluid flow velocity using Doppler sonography: K. D. Kalache, R. Chaoui, B. Marcks, T. N. Nguyen-Dobinsky, K. D. Wernicke, R. Wauer and R. Bollmann . . . 45

Prenatal diagnosis and outcome in sacrococcygeal teratomas: a review of cases between 1992 and 1998: V. Brace, S. R. Grant, K. J. Brackley, M. D. Kilby and M. J. Whittle . . . 51

Prenatal diagnosis of RAG-deficient Omenn syndrome: A. Villa, F. Bozzi, C. Sobacchi, D. Strina, A. Fasth, S. Pasic, L. D. Notarangelo and P. Vezzoni . . . 56

Invited Commentary: Current Issues in Obstetrics and Genetics

Gaucher disease: considerations in prenatal diagnosis: G. A. Grabowski . . . 60

Short Communications

Rapid identification of a small dicentric supernumerary marker derived from chromosome 16 with a modified FISH technique on amniotic fluid: R. Sanz, M. A. Anabitarte, M. E. Querejeta, I. Lorda-Sanchez, M. A. Ibañez, M. Rodríguez de Alba, C. Ayuso and C. Ramos . . . 63

Rapid detection of expansions by PCR and non-radioactive hybridization: application for prenatal diagnosis of myotonic dystrophy: C. Zühlke, J. Atici, L. Martorell, U. Gembruch, M. Kohl, W. Göpel and E. Schwinger . . . 66

Prenatal diagnosis of pyloric atresia-junctional epidermolysis bullosa syndrome in a fetus not known to be at risk: C. Lépinard, P. Descamps, G. Meneguzzi, C. Blanchet-Bardon, D. P. Germain, L. Larget-Piet, F. Beringue, C. Berchel, F. Muller and Y. Dumez . . . 70

Prenatal diagnosis of mosaicism for a del(22)(q13): M. Riegel, A. Baumer, J. Wisser, J. Acherman and A. Schinzel 76

Letters to the Editor . . . 80

Announcements . . . 82

Current Awareness in Prenatal Diagnosis . . . 83

ISSUE NUMBER 2, FEBRUARY 2000

Original Papers

Screening for trisomy 21 in twin pregnancies in the first trimester using free β-hCG and PAPP-A, combined with fetal nuchal translucency thickness: K. Spencer 91

Serum screening for Down syndrome and adverse pregnancy outcomes: a case-controlled study: R. Ogle, E. Jauniaux, G. S. Pahal, E. Dell, A. Sheldrake and C. Rodeck 96

Maternal serum second trimester AFP and hCG in pregnancies with placenta previa: A. Heikkilä, S. Heinonen and P. Kirkinen 100

Common trisomy mosaicism diagnosed in amniocytes involving chromosomes 13, 18, 20 and 21: karyotype–phenotype correlations: R. Wallerstein, M-T. Yu, R. L. Neu, P. Benn, C. L. Bowen, B. Crandall, C. Disteche, R. Donahue, B. Harrison, D. Hershey, R. R. Higgins, L. S. Jenkins, C. Jackson-Cook, E. Keitges, G. Khodr, C. C. Lin, F. W. Luthardt, L. Meisner, G. Mengden, S. R. Patil, M. Rodriguez, L. J. Sciorra, L. G. Shaffer, G. Stetten, D. L. Van Dyke, H. Wang, F. Williams, A-L. Zaslav and L. Y. F. Hsu 103

Analysis of uncultured amniocytes by comparative genomic hybridization: a prospective prenatal study: J-M. Lapierre, V. Cacheux, D. Luton, N. Collot, J-F. Oury, A. Aurias and G. Tachdjian 123

Haplotype association and mutation analysis of the transglutaminase 1 gene for prenatal exclusion of lamellar ichthyosis: M. Pigg, T. Gedde-Dahl Jr, D. W. Cox, G. Haugen and N. Dahl 132

Characterization and clinical implications of marker chromosomes identified at prenatal diagnosis: M. M. Li, P. N. Howard-Peebles, L. D. Killos, L. Fallon, E. Listgarten and W. S. Stanley 138

Inherited interstitial deletion of chromosomes 5p and 16q without apparent phenotypic effect: further confirmation: J. L. Hand, V. V. Michels, M. J. Marinello, R. P. Ketterling and S. M. Jalal 144

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal diagnosis and management of orofacial clefts: A. Cockell and M. Lees 149

Short Communications

Prenatal diagnosis of a fetus with a cryptic translocation 4p;18p and Wolf–Hirschhorn syndrome (WHS): N. Kohlschmidt, J. Zielinski, E. Brude, D. Schäfer, J. Olert, C. Hallermann, W. Coerdt and J. Arnemann 152

Dicentric marker derived from chromosome 22 associated with mild clinical signs: a case report: L. Lohmann, N. Chelloug, B. Rosales, C. Guérin, S. Lyonnet, P. Jonveaux and B. Simon-Bouy 156

Relative efficiency of FISH on metaphase and interphase nuclei from non-mosaic trisomic or triploid fibroblast cultures: P. Ruangvutilert, J. D. A. Delhanty, C. H. Rodeck and J. C. Harper 159

Prenatal diagnosis of abdominal enteric duplications: J. Correia-Pinto, M. L. Tavares, J. Monteiro, N. Moura, H. Guimarães and J. Estevão-Costa 163

Letters to the Editor 168

Current Awareness in Prenatal Diagnosis 171

Announcements 178

ISSUE NUMBER 3, MARCH 2000

Original Papers

First-trimester diagnosis of Morquio disease type A: W. J. Kleijer, G. C. Geilen, V. Garritsen, J. G. M. Huijmans, F. J. Los, Y. V. Voznyi and O. P. van Diggelen 183

Co-variables in first trimester maternal serum screening: I. M. de Graaf, H. S. Cuckle, E. Pajkrt, N. J. Leschot, O. P. Bleker and J. M. M. van Lith 186

Fetoplacental chromosomal discrepancy: C. Farra, B. Giudicelli, M. C. Pellissier, N. Philip and C. Piquet . . . 190

Prenatal diagnosis of β-thalassaemia and other haemoglobinopathies in India: C. Thakur, F. Vaz, M. Banerjee, C. Kapadia, P. G. Natrajan, H. Yagnik and S. Gangal 194

Iniencephaly: prenatal diagnosis and management: S. Sahid, W. Sepulveda, V. Dezerega, J. Gutierrez, L. Rodriguez and E. Corral 202

A study of mild fetal pyelectasia — outcome and proposed strategy of management: A. Kent, D. Cox, P. Downey and S. L. James 206

Critical reappraisal of the utility of sonographic fetal femur length in the prediction of trisomy 21: P. Vergani, A. Locatelli, M. G. Piccoli, E. Mariani, N. Strobelt, J. C. Pezzullo and A. Ghidini 210

The clinical application of interphase FISH in prenatal diagnosis: E. Pergament, P. X. Chen, M. Thangavelu and M. Fiddler 215

Maternal midtrimester serum AFP and free β-hCG levels in *in vitro* fertilization twin pregnancies: R. Räty, A. Virtanen, P. Koskinen, P. Laitinen, J. Forsström, R. Salonen, P. Mörsky and U. Ekblad 221

Cordocentesis at 16–24 weeks of gestation: experience of 1320 cases: T. Tongsong, C. Wanapirak, C. Kunavikatikul, S. Sirirchotiyakul, W. Piyamongkol and P. Chanprapaph 224

Prenatal control of severe thalassaemia: Chiang Mai Strategy: T. Tongsong, C. Wanapirak, P. Sirivatanapa, T. Sanguansermsri, S. Sirichotiyakul, W. Piyamongkol and P. Chanprapaph 229

Female gamete segregation in two carriers of translocations involving 2q and 14q: T. Escudero, M. Lee, M. Sandalinas and S. Munné 235

Fetal demise with Smith–Lemli–Opitz syndrome confirmed by tissue sterol analysis and the absence of measurable 7-dehydrocholesterol Δ^7-reductase activity in chorionic villi: L. M. Linck, S. J. Hayflick, D. S. Lin, K. P. Battaile, S. Ginat, T. Burlingame, K. M. Gibson, M. Honda, A. Honda, G. Salen, G. S. Tint, W. E. Connor and R. D. Steiner 238

Learning in medicine: chorionic villus sampling: L. D. E. Wijnberger, Y. T. van der Schouw and G. C. M. L. Christiaens 241

Genetic amniocentesis in women 20–34 years old: associated risks: A. Antsaklis, N. Papantoniou, A. Xygakis, S. Mesogitis, E. Tzortzis and S. Michalas 247

Invited Commentary: Current Issues in Obstetrics and Genetics

Oesophageal atresia: C. Sparey and S. C. Robson 251

Short Communications

Prenatal diagnosis of Apert syndrome with widely separated cranial sutures: K-J. Lyu and T-M. Ko . . . 254

Choice of anticoagulant can influence the analysis using fluorescence *in situ* hybridization of fetal cells enriched from maternal blood: V. Brombacher, V. Kiefer, C. Troeger, Y. Vial, S. Minderer, W. Holzgreve and S. Hahn 257

Prenatal diagnosis of cystic bladder distension secondary to obstructive uropathy: C-P. Chen, C-Y. Tzen and W. Wang 260

Letters to the Editor 264

Current Awareness in Prenatal Diagnosis 267

Announcements 274

ISSUE NUMBER 4, APRIL 2000

Original Papers

An assessment of the use of interphase FISH with chromosome specific probes as an alternative to cytogenetics in prenatal diagnosis: A. T. A. Thein, S. A. Abdel-Fattah, P. M. Kyle and P. W. Soothill 275

Comparison of fetal cell recovery from maternal blood using a high density gradient for the initial separation step: 1.090 versus 1.119 g/ml: O. Samura, A. Sekizawa, D. K. Zhen, V. M. Falco and D. W. Bianchi 281

Pathologic correlation of sonographic echogenic foci in the fetal heart: C. Tennstedt, R. Chaoui, M. Vogel, B. Göldner and M. Dietel 287

Prenatal ultrasound findings in affected and unaffected pregnancies that are screen-positive for trisomy 18: the California experience: L. B. Feuchtbaum, R. J. Currier, F. W. Lorey and G. C. Cunningham 293

DNA methylation analysis with respect to prenatal diagnosis of the Angelman and Prader–Willi syndromes and imprinting: C. C. Glenn, G. Deng, R. C. Michaelis, J. Tarleton, M. C. Phelan, L. Surh, T. P. Yang and D. J. Driscoll 300

A tobacco-specific carcinogen in the fetus: A. Milunsky, S. G. Carmella, M. Ye and S. S. Hecht 307

Is maternal serum total hCG a marker of trisomy 21 in the first trimester of pregnancy?: K. Spencer, E. Berry, J. A. Crossley, D. A. Aitken and K. H. Nicolaides 311

Dandy–Walker malformation: prenatal diagnosis and outcome: N. Kölble, J. Wisser, J. Kurmanavicius, E. Bolthauser, T. Stallmach, A. Huch and R. Huch 318

The sonographic diagnosis of Dandy–Walker and Dandy–Walker variant: associated findings and outcomes: J. L. Ecker, T. D. Shipp, B. Bromley and B. Benacerraf 328

Short Communications

Severe fetal cytomegalic inclusion disease after documented maternal reactivation of cytomegalovirus infection during pregnancy: T. Rousseau, S. Douvier, I. Reynaud, N. Laurent, J-B. Bour, C. Durand, G. Spagnolo and P. Sagot 333

Exclusion of late infantile neuronal ceroid lipofuscinosis (LINCL) in a fetus by assay of tripeptidyl peptidase I in chorionic villi: E. P. Young, B. G. Winchester, W. P. Logan, R. B. Wheeler and B. D. Lake 337

Prenatal diagnosis of Gaucher's disease type 2. Ultrasonographic, biochemical and histological aspects: R. Sarfati, A. Hubert, M. Dugué-Maréchaud, V. Biran-Mucignat, F. Pierre and D. Bonneau 340

Aicardi syndrome: prenatal sonographic findings. A report of two cases: B. Bromley, K. S. Krishnamoorthy and B. R. Benacerraf 344

Acute recurrent polyhydramnios and amniotic prolactin: M. De Santis, A. F. Cavaliere, G. Noia, L. Masini, E. Menini and A. Caruso 347

Prenatal diagnosis of partial trisomy 4q26-qter and monosomy for the Wolf–Hirschhorn critical region in a fetus with split hand malformation: E. Petek, K. Wagner, H. Steiner, H. Schaffer and P. M. Kroisel 349

Letters to the Editor 353

Current Awareness in Prenatal Diagnosis 358

Announcements 365

ISSUE NUMBER 5, MAY 2000

Original Papers

Non-concordance of CVS and liver glycine cleavage enzyme in three families with non-ketotic hyperglycinaemia (NKH) leading to false negative prenatal diagnoses: D. A. Applegarth, J. R. Toone, M. O. Rolland, S. H. Black, D. K. C. Yim and G. Bemis 367

DNA based prenatal testing for the skin blistering disorder epidermolysis bullosa simplex: E. L. Rugg, D. Baty, C. S. Shemanko, G. Magee, S. Polak, R. Bergman, T. Kadar, M. Boxer, T. Falik-Zaccai, Z. Borochowitz and E. B. Lane 371

Prenatal diagnosis of beta-thalassaemia in Pakistan: experience in a Muslim country: S. Ahmed, M. Saleem, N. Sultana, Y. Raashid, A. Waqar, M. Anwar, B. Modell, K. A. Karamat and M. Petrou 378

Prenatal diagnosis of inherited satellited non-acrocentric chromosomes: C.-P. Chen, K. Devriendt, S.-R. Chern, C.-C. Lee, W. Wang and S.-P. Lin 384

Maternal serum free β-hCG and PAPP-A in fetal sex chromosome defects in the first trimester: K. Spencer, N. Tul and K. H. Nicolaides 390

Screening for trisomies 21 and 18 with maternal serum placental isoferritin p43 component: C. Moroz, R. Maymon, E. Jauniaux, L. Traub and H. Cuckle 395

Prenatal diagnosis of alobar holoprosencephaly by two-dimensional and three-dimensional ultrasound: T.-H. Lai, C.-H. Chang, C.-H. Yu, P.-L. Kuo and F.-M. Chang 400

Short Communications

Diaphragmatic hernia as the first echographic sign in Apert syndrome: I. Witters, K. Devriendt, P. Moerman, C. van Hole and J.-P. Fryns 404

The use of transferrin for enrichment of fetal cells from maternal blood: M. Serlachius, H. Von Koskull, M. Wessman and J. Schröder 407

Screening for trisomy 13 by fetal nuchal translucency and maternal serum free β-hCG and PAPP-A at 10–14 weeks of gestation: K. Spencer, C. Ong, H. Skentou, A. W. Liao and K. H. Nicolaides 411

Apparent confined placental mosaicism of trisomy 16 and multiple fetal anomalies: case report: P. Johnson, K. Duncan, S. Blunt, G. Bell, Z. Ali, P. Cox and G. E. Moore 417

Prenatal ultrasound of regional akinesia with Pena–Shokier phenotype: T. Tongsong, P. Chanprapaph and S. Khunamornpong 422

Complex genetic counselling and prenatal analysis in a woman with external ophthalmoplegia and deleted mtDNA: C. Graff, A. Wredenberg, J. P. Silva, T.-H. Bui, K. Borg and N.-G. Larsson 426

Letters to the Editor 432

Announcements 440

Current Awareness in Prenatal Diagnosis 441

ISSUE NUMBER 6, JUNE 2000

Original Papers

Early prenatal management of a fetal ventricular tachycardia treated *in utero* by amiodarone with long term follow-up: J. M. Schleich, F. B. du Haut Cilly, M. C. Laurent and C. Almange 449

The applicability of different PCR-based methods for fetal *RHD* and *K1* genotyping: a prospective study: B. H. W. Faas, P. A. Maaskant-van Wijk, A. E. G. Kr. von dem Borne, C. E. van der Schoot and G. C. M. L. Christiaens 453

Prognostic factors associated with congenital cystic adenomatoid malformation of the lung: V. Bunduki, R. Ruano, M. M. da Silva, J. Miguelez, S. Miyadahira, J. G. Maksoud and M. Zugaib 459

Prenatal UPD testing survey in Robertsonian translocations: F. Gualandi, A. Sensi, C. Trabanelli, F. Falciano, A. Bonfatti and E. Calzolari 465

Long-term effect of prospective detection of high genetic risk on couples' reproductive life: data for thalassaemia: M. Petrou, B. Modell, S. Shetty, M. Khan and R. H. T. Ward 469

Prenatal diagnosis of hypoparathyroidism retardation and dysmorphism (HRD) syndrome: E. Hershkovitz, R. Hershkovitz, L. Hertzug, R. Gorodischer, M. Mazor and R. Parvari 475

Quantitative FISH analysis and *in vitro* suspension cultures of erythroid cells from maternal peripheral blood for the isolation of fetal cells: K. Huber, J. Bittner, B. Worofka, A. Rosen, E. Hafner, K. Philipp and K. Bauer . . 479

Acceptability of serum screening as an alternative to cytogenetic diagnosis of Down syndrome among women 35 years or older in Hong Kong: Y. H. Lam, M. H. Y. Tang, C. P. Lee, S. Y. Sin, R. Tang, H. S. Wong and S. F. Wong 487

The influence of ethnic origin on first trimester biochemical markers of chromosomal abnormalities: K. Spencer, C. Y. T. Ong, A. W. J. Liao and K. H. Nicolaides 491

Screening for triploidy by fetal nuchal translucency and maternal serum free β-hCG and PAPP-A at 10–14 weeks of gestation: K. Spencer, A. W. J. Liao, H. Skentou, S. Cicero and K. H. Nicolaides 495

Short Communications

Prenatal ultrasonographic diagnosis of the popliteal pterygium syndrome: F. Perrotin, G. Haddad, A. Guichet, C. Paillet, C. Moraine and G. Body 501

Norman–Roberts syndrome: prenatal diagnosis and autopsy findings: C. Sergi, S. Zoubaa and M. Schiesser . . 505
Subtle familial unbalanced translocation t(8;11)(p23.2;p15.5) in two fetuses with Beckwith–Wiedemann features: S. Fert-Ferrer, A. Guichet, J. Tantau, A. L. Delezoide, C. Ozilou, S. P. Romana, P. Gosset, G. Viot, S. Loison, C. Moraine, N. Morichon-Delvallez, C. Turleau, M. Vekemans and M. Prieur 511

Letters to the Editor 517

Announcements 526

Current Awareness in Prenatal Diagnosis 527

ISSUE NUMBER 7, SPECIAL TOPIC ISSUE, JULY 2000

Guest Editorial: J. C. Harper, E. Pergament and J. D. A. Delhanty 535

Review

The critical and expanding role of genetics in assisted reproduction: M. Kent-First 536

Original Papers

FISH analysis on day 5 post-insemination of human arrested and blastocyst stage embryos: P. Ruangvutilert, J. D. A. Delhanty, P. Serhal, M. Simopoulou, C. H. Rodeck and J. C. Harper 552
Recurrent triploidy of maternal origin: E. Pergament, E. Confino, J. X. Zhang, L. Roscetti, P. X. Chen and D. Wellman 561
The decision to cancel a preimplantation genetic diagnosis cycle: J. Santaló, M. Grossmann, C. Giménez, F. Marina, J. Egozcue, S. Marina and F. Vidal 564
The situation of preimplantation genetic diagnosis in Germany: legal and ethical problems: M. Ludwig, D. Pergament, E. Schwinger and K. Diedrich 567
Clinical application of preimplantation genetic diagnosis for cystic fibrosis: V. Goossens, K. Sermon, W. Lissens, M. Vandervorst, A. Vanderfaeillie, M. De Rijcke, A. De Vos, P. Henderix, H. Van de Velde, A. Van Steirteghem and I. Liebaers 571
Selection of the most common chromosome abnormalities in oocytes prior to ICSI: S. Munné, S. Sepulveda, J. Balmaceda, E. Fernandez, C. Fabres, A. Mackenna, T. Lopez, J. A. Crosby and F. Zegers-Hochschild 582
Clinical pregnancy following blastomere biopsy and PGD for a reciprocal translocation carrier: analysis of meiotic outcomes and embryo quality in two IVF cycles: P. N. Scriven, F. O'Mahony, H. Bickerstaff, C.-T. Yeong, P. Braude and C. Mackie Ogilvie 587
A successful strategy for preimplantation diagnosis of medium-chain acyl-CoA dehydrogenase (MCAD) deficiency: A. Ioulianos, D. Wells, J. C. Harper and J. D. A. Delhanty 593

Short Communication

Analysis of chromosome abnormalities in sperm and embryos from two 45,XY,t(13;14)(q10;q10) carriers: T. Escudero, M. Lee, D. Carrel, J. Blanco and S. Munné 599

Current Awareness in Prenatal Diagnosis 603

Announcements 610

ISSUE NUMBER 8, AUGUST 2000

Original Papers

Screening for fragile X syndrome in women of reproductive age: R. Pesso, M. Berkenstadt, H. Cuckle, E. Gak, L. Peleg, M. Frydman and G. Barkai 611
Prenatal diagnosis of fetal heart failure in twin reversed arterial perfusion syndrome: P. Osborn, T. L. Gross, J. J. Shah and L. Ma 615
Prenatal diagnosis of dominant dystrophic epidermolysis bullosa, by *COL7A1* molecular analysis: S. Klingberg, R. Mortimore, J. Parkes, J. E. D. Chick, A. E. Clague, D. Murrell, D. Weedon and I. A. Glass 618
Reference values of ductus venosus flow velocities and calculated waveform indices: F. Bahlmann, S. Wellek, I. Reinhardt, E. Merz, E. Steiner and C. Welter 623
First trimester maternal serum AFP and total hCG in aneuploidies other than trisomy 21: K. Spencer, V. Heath, N. Flack, C. Ong and K. H. Nicolaides 635
Differential effects of interleukin-3 on fetal and adult erythroid cells in culture: implications for the isolation of fetal cells from maternal blood: R. M. Bohmer, K. L. Johnson and D. W. Bianchi 640
The influence of fetal sex in screening for Down syndrome in the second trimester using AFP and free β-hCG: K. Spencer 648
Second-trimester prenatal screening for Down syndrome and the relationship of maternal serum biochemical markers to pregnancy complications with adverse outcome: K. Spencer 652

Invited Commentary: Current Issues in Obstetrics and Genetics

Fetal choroid plexus cysts: are we there yet?: S. A. Walkinshaw 657

Short Communications

Prenatal diagnosis of a partial trisomy 19q: S. Tercanli, I. Hösli, A. Berlinger, R. Beyer, J. Achermann and W. Holzgreve 663

Ultrasonographic prenatal diagnosis of microcephalic osteodysplastic primordial dwarfism types I/III: M. Nadjari, S. J. Fasouliotis, I. Ariel, A. Raas-Rothschild, J. Bar-Ziv and U. Elchalal 666

Pallister–Killian syndrome presenting through nuchal translucency screening for trisomy 21: K. Langford, S. Hodgson, M. Seller and D. Maxwell 670

The influence of fetal sex in screening for trisomy 21 by fetal nuchal translucency, maternal serum free β-hCG and PAPP-A at 10–14 weeks of gestation: K. Spencer, C. Y. T. Ong, A. W. J. Liao, D. Papademetriou and K. H. Nicolaides 673

Maternal serum screening for trisomy 18: assessing different statistical models to optimize detection rates: D. M. Kennedy, V. M. Edwards and D. J. Worthington 676

Second trimester levels of maternal serum inhibin A in pregnancies affected by fetal neural tube defects: G. M. Lambert-Messerlian, G. E. Palomaki and J. A. Canick 680

Letters to the Editor 683

Announcements 688

Current Awareness in Prenatal Diagnosis 689

ISSUE NUMBER 9, SEPTEMBER 2000

Original Papers

Megacystis-microcolon-intestinal hypoperistalsis syndrome: the difficulties with antenatal diagnosis. Case report and review of the literature: S. M. White, P. Chamberlain, R. Hitchcock, P. B. Sullivan and P. A. Boyd . . 697

First trimester umbilical artery pulsatility index in fetuses presenting enlarged nuchal translucency: M. A. Zoppi, R. M. Ibba, M. Putzolu, M. Floris and G. Monni 701

How women deal with the results of serum screening for Down syndrome in the second trimester of pregnancy: M. J. N. Weinans, A. M. G. Huijssoon, T. Tymstra, M. C. F. Gerrits, J. R. Beekhuis and A. Mantingh . . 705

Trends in live birth prevalence of Down syndrome in the Northern Netherlands 1987–96: the impact of screening and prenatal diagnosis: M. J. M. Wortelboer, B. T. H. M. de Wolf, C. C. Verschuuren-Bemelmans, J. Reefhuis, A. Mantingh, J. R. Beekhuis and M. C. Cornel 709

Numbers or words? A randomized controlled trial of presenting screen negative results to pregnant women: T. M. Marteau, G. Saidi, S. Goodburn, J. Lawton, S. Michie and M. Bobrow 714

The Genoa experience of prenatal diagnosis in NF1: P. Origone, E. Bonioli, E. Panucci, S. Costabel, F. Ajmar and D. A. Coviello 719

How useful is the *in vitro* expansion of fetal CD34+ progenitor cells from maternal blood samples for diagnostic purposes?: M. W. J. C. Jansen, K. Korver-Hakkennes, D. Van Leenen, H. Brandenburg, H. I. J. Wildschut, J. W. Wladimiroff and R. E. Ploemacher 725

Determination of enzyme activities for prenatal diagnosis of respiratory chain deficiency: L. Faivre, V. Cormier-Daire, D. Chrétien, J. C. von Kleist-Retzow, J. Amiel, M. Dommergues, J.-M. Saudubray, Y. Dumez, A. Rötig, P. Rustin and A. Munnich 732

Mid-trimester β-hCG levels incorporated in a multifactorial model for the prediction of severe pre-eclampsia: L.-C. Lee, B.-C. Sheu, W.-Y. Shau, D.-M. Liu, T.-J Lai, Y.-H. Lee and S.-C. Huang 738

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal molecular diagnosis of L1-spectrum disorders: U. Finckh and A. Gal 744

Short Communications

Antepartum findings in fetal protein C deficiency: P. Kirkinen, M. Salonvaara, K. Nikolajev, R. Vanninen and K. Heinonen 746

Prenatal diagnosis and genetic analysis of double trisomy 48, XXX, +18: C.-P. Chen, S.-R. Chern, L.-F. Yeh, W.-L. Chen, L.-F. Chen and W. Wang 750

Prenatal diagnosis and genetic analysis of X chromosome polysomy 49, XXXXY: C.-P. Chen, S.-R. Chern, C.-L. Chang, C.-C. Lee, W.-L. Chen, L.-F. Chen and W. Wang 754

A new approach to prenatal treatment of extralobar pulmonary sequestration: U. Nicolini, V. Cerri, C. Groli, A. Poblete and F. Mauro 758

Prenatal molecular diagnosis of glutaric aciduria type I by direct mutation analysis: C. Busquets, M. J. Coll, B. Merinero, M. Ugarte, M. A. Ruiz, A. Martinez Bermejo and A. Ribes 761

Prenatal diagnosis of glycogen storage disease type 1b using denaturing high performance liquid chromatography: C.-W. Lam, S.-Y. Sin, E. T. Lau, Y.-Y. Lam, P. Poon and S.-F. Tong 765

Letters to the Editor 769

Current Awareness in Prenatal Diagnosis 773

Announcements 780

ISSUE NUMBER 10, OCTOBER 2000

Original Papers

Combined first trimester nuchal translucency and second trimester biochemical screening tests among normal pregnancies: A. Herman, Z. Weinraub, E. Dreazen, S. Arieli, S. Rozansky, I. Bukovsky and R. Maymon . . 781

First trimester biochemical screening for Down syndrome: free beta hCG versus intact hCG: T. Hallahan, D. Krantz, F. Orlandi, C. Rossi, P. Curcio, S. Macri, J. Larsen, P. Buchanan and J. Macri 785

Letter to the Editor

Response to Hallahan *et al.*: J. E. Haddow, G. E. Palomaki and G. J. Knight 790

Original Papers

The influence of parity and gravidity on first trimester markers of chromosomal abnormality: K. Spencer, C. Y. T. Ong, A. W. J. Liao and K. H. Nicolaides 792

Fetal DNA in maternal plasma is elevated in pregnancies with aneuploid fetuses: X. Y. Zhong, M. R. Bürk, C. Troeger, L. R. Jackson, W. Holzgreve and S. Hahn 795

Management of fetal thyroid goitres: a report of 11 cases in a single perinatal unit: J. L. Volumenie, M. Polak, J. Guibourdenche, J. F. Oury, E. Vuillard, O. Sibony, F. Reyal, B. Raccah-Tebeka, C. Boissinot, A. M. Madec, J. Orgiazzi, M. E. Toubert, J. Leger, P. Blot and D. Luton 799

A novel mutation detected by temporal temperature gradient gel electrophoresis led to the confirmative prenatal diagnosis of a Hispanic CF family: L.-J. C. Wong, J. Wang, M. Woo, E. Hsu and C. M. Bowman . . . 807

Evaluation of the prenatal diagnosis of limb reduction deficiencies: C. Stoll, A. Wiesel, A. Queisser-Luft, U. Froster, S. Bianca, M. Clementi and EUROSCAN study group 811

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal diagnosis of the neuronal ceroid lipofuscinoses: W. J. Kleijer and O. P. van Diggelen 819

Short Communications

Prenatal diagnosis of X-linked hyper-IGM syndrome by direct detection of mutation Q220X in the CD40L gene using PCR-mediated site directed mutagenesis: R. Jayoussi-Assalia, A. Etzioni, L. D. Notarangelo, R. Brill-Zamir, L. Kasinetz, E. Kadouri and R. Gershoni-Baruch 822

Normal outcome after prenatal diagnosis of thrombosis of the torcular Herophili: J. M. Gicquel, A. Potier, S. Sitruk and N. Girard 824

Early prenatal diagnosis of the ICF syndrome: E. J. Björck, T.-H. Bui, C. Wijmenga, U. Grandell and M. Nordenskjöld 828

Genetic analysis of fetal nucleated red blood cells from CVS washings: M. E. Jakobs, J. M. M van Lith, I. M. de Graaf, A. C. Knegt and J. M. N. Hoovers 832

Sonographic and molecular diagnosis of thanatophoric dysplasia type I at 18 weeks of gestation: P. De Biasio, F. Prefumo, M. Baffico, M. Baldi, M. Priolo, M. Lerone, P. Tomà and P. L. Venturini 835

High levels of fetal erythroblasts and fetal extracellular DNA in the peripheral blood of a pregnant woman with idiopathic polyhydramnios: case report: X. Y. Zhong, W. Holzgreve, J. C. Li, K. Aydinli and S. Hahn . . 838

Incidental prenatal detection of an Xp deletion using an anonymous primer pair for fetal sexing: S. Jakubiczka, B. Mitulla, T. Liehr, J. Arnemann, H. Lehrach, R. Sudbrak, M. Stumm, P. F. Wieacker and T. Bettecken 842

Wolf–Hirschhorn syndrome due to a 3:1 segregation of a maternal balanced t(4;15)(p16.3;q11) translocation: U. Zimmermann-Bär, T. Stallmach, M. Riegel, U. Wiedemann, J.-C. Fauchère, F. Binkert and D. Kotzot 847

Letters to the Editor 851

Current Awareness in Prenatal Diagnosis 857

ISSUE NUMBER 11, NOVEMBER 2000

Original Papers

The practical importance of pedigree analysis in women considering invasive prenatal diagnosis for advanced maternal age or abnormal serum screening tests: D. Meschede, S. Albersmann and J. Horst 865

Evaluation of prenatal diagnosis of cleft lip with or without cleft palate and cleft palate by ultrasound: experience from 20 European registries: M. Clementi, R. Tenconi, F. Bianchi, C. Stoll and EUROSCAN study group 870

Prenatal diagnosis of a novel *COL1A1* mutation in osteogenesis imperfecta type I carried through full term pregnancy: L. Ries, M. Frydman, G. Barkai, B. Goldman and E. Friedman 876

Survival analysis of transfused fetuses affected by Rh-alloimmunization: A. Farina, P. Calderoni, G. Simonazzi, P. Carinci and N. Rizzo 881

Apoptosis in fetal nucleated erythrocytes circulating in maternal blood: A. Sekizawa, O. Samura, D. Zhen, V. Falco, A. Farina and D. W. Bianchi 886

The subarachnoid space: normal fetal development as demonstrated by transvaginal ultrasound: G. Malinger, T. Lerman-Sagie, R. Achiron and S. Lipitz 890

Axial growth of the fetal eye and evaluation of the hyaloid artery: *in utero* ultrasonographic study: R. Achiron, D. Kreiser and A. Achiron 894

Prenatal diagnosis of haemoglobin Bart's disease by cordocentesis at 12–14 weeks — experience with the first 59 cases: Y. H. Lam and M. H. Y. Tang 900
Isolated polydactyly: prenatal diagnosis and perinatal outcome: B. Bromley, T. D. Shipp and B. Benacerraf . . 905

Invited Commentary: Current Issues in Obstetrics and Genetics
Hyperechogenic bowel in the second trimester fetus: a review: L. Penna and S. Bower 909

Short Communications
Retrospective diagnosis of trisomy 15 in formalin-fixed, paraffin-embedded placental tissue in a newborn girl with Prader-Willi syndrome: C. Walczak, H. Enders, K. Grissinger and A. Dufke 914
An unusual case of trisomy and triploidy in a chorion villus biopsy: C. J. English, N. W. S. Atkey, G. Linton, C. J. Napier, H. M. Cameron, G. C. Mason and B. J. Murray 917
3-M syndrome: a prenatal ultrasonographic diagnosis: F. Meo, V. Pinto and V. D'Addario 921
Transposition of the great arteries, ventricular septal defect and diaphragmatic hernia in a fetus: the role of prenatal diagnosis in helping to predict postnatal survival: L. Noimark, M. Sellwood, J. Wyatt and R. Yates . . 924
Prolidase deficiency among an Israeli population: prenatal diagnosis in a genetic disorder with uncertain prognosis: H. Mandel, N. Abeling, A. Gutman, M. Berant, E. G. Scholten, C. Sheiman, A. Luder and A. H. van Gennip 927
A case of maternal uniparental disomy of chromosome 9 diagnosed prenatally and the related problem of residual trisomy: H. R. Slater, A. Ralph, A. Daniel, S. Worthington and C. Roberts 930

Letters to the Editor 933

Current Awareness in Prenatal Diagnosis 939

Announcement 946

ISSUE NUMBER 12, DECEMBER 2000

Original Papers
Prenatal diagnosis of holoprosencephaly (HPE) in a fetus with a recombinant (18)dup(18q)inv(18)(p11.31q11.2)mat: N. J. Leonard, D. J. Tomkins and N. Demianczuk 947
Four years' cytogenetic experience with the culture of chorionic villi: B. Sikkema-Raddatz, K. Bouman, C. C. Verschuuren-Bemelmans, M. Stoepker, A. Mantingh, J. R. Beekhuis and B. de Jong 950
Accuracy of abnormal karyotypes after the analysis of both short- and long-term culture of chorionic villi: C. van den Berg, D. Van Opstal, H. Brandenburg, H. I. J. Wildschut, N. S. den Hollander, L. Pijpers, R. J. H. Galjaard and F. J. Los 956
Correlation of prenatal clinical findings with those observed in fetal autopsies: pathological approach: L. Kaiser, M. Vizer, A. Arany and B. Veszprémi 970
Urinary hyperglycosylated hCG in first trimester screening for chromosomal abnormalities: M. J. N. Weinans, S. A. Butler, A. Mantingh and L. A. Cole 976
Cost-effective screening methods for various single gene defects in single cells using high magnesium and total ionic strength and restriction enzymes: Y.-H. Tsai 979
Accuracy of prenatal diagnosis for haemoglobin disorders in the UK: 25 years' experience: J. Old, M. Petrou, L. Varnavides, M. Layton and B. Modell 986

Short Communications
Prenatal diagnosis of del(15)(q26.1) and del(18)(q21.3) due to an unbalanced *de novo* translocation: ultrasound, molecular cytogenetic and autopsy findings: U. G. Froster, L.-C. Horn, H. Holland, S. Strenge and R. Faber 992
Prospective ultrasound diagnosis of Pallister–Killian syndrome in the second trimester of pregnancy: the importance of the fetal facial profile: D. Paladini, A. Borghese, M. Arienzo, A. Teodoro, P. Martinelli and C. Nappi 996
Prenatal diagnosis of heterokaryotypic mosaic twins discordant for fetal sex: O. Schmid, U. Trautmann, H. Ashour, R. Ulmer, R. A. Pfeiffer and E. Beinder 999
Prenatal MRI in a fetus with a giant neck hemangioma: a case report: H. Shiraishi, M. Nakamura, K. Ichihashi, A. Uchida, A. Izumi, H. Hyodoh and M. Y. Momoi 1004
Greenberg-dysplasia: first reported case with additional non-skeletal malformations and without consanguinity; L.-C. Horn, R. Faber, A. Meiner, U. Piskazeck and J. Spranger 1008
MASA syndrome: ultrasonographic evidence in a male fetus: G. Pomili, G. V. Donti, L. A. Carrozza, C. Ardisia, F. Servidio, R. M. W. Hofstra, G. Gilardi and E. Donti 1012
High maternal serum inhibin A levels following the loss of one fetus in a twin pregnancy: K. M. Goodwin, P. J. Sweeney, G. M. Lambert-Messerlian and J. A. Canick 1015

Letters to the Editor 1018

Current Awareness in Prenatal Diagnosis 1021

ISSUE NUMBER 13, SPECIAL TOPIC ISSUE, DECEMBER 2000

Guest Editorial: J. C. Harper 1029

Original Papers

Embryo implantation after biopsy of one or two cells from cleavage-stage embryos with a view to preimplantation genetic diagnosis: H. Van de Velde, A. De Vos, K. Sermon, C. Staessen, M. De Rycke, E. Van Assche, W. Lissens, M. Vandervorst, H. Van Ranst, I. Liebaers and A. Van Steirteghem 1030

Highly abnormal cleavage divisions in preimplantation embryos from translocation carriers: E. Iwarsson, H. Malmgren, J. Inzunza, L. Ährlund-Richter, P. Sjöblom, B. Rosenlund, M. Fridström, O. Hovatta, M. Nordenskjöld and E. Blennow 1038

First specific preimplantation genetic diagnosis for ornithine transcarbamylase deficiency: P. F. Ray, N. Gigarel, J. P. Bonnefont, T. Attié, S. Hamamah, N. Frydman, M. Vekemans, R. Frydman and A. Munnich 1048

Preimplantation genetic diagnosis of compound heterozygous mutations leading to ablation of plakophilin-1 (PKP1) and resulting in skin fragility ectodermal dysplasia syndrome: a case report: A. R. Thornhill, S. J. Pickering, N. V. Whittock, J. Caller, V. Andritsos, H. E. Bickerstaff, A. H. Handyside, R. A. J. Eady, P. R. Braude and J. A. McGrath 1055

Short Communications

Re-analysis by fluorescence *in situ* hybridisation of spare embryos cultured until Day 5 after preimplantation genetic diagnosis for a 47,XYY infertile patient demonstrates a high incidence of diploid mosaic embryos: a case report: S. Emiliani, E. G. Merino, M. Van den Bergh, M. Abramowicz, G. Vassart, Y. Englert and D. Delneste . 1063

Use of PRINS for preconception screening of polar bodies for common aneuploidies: C. Petit, V. Martel-Petit, A. Fleurentin, P. Monnier-Barbarino, P. Jonveaux and H. Gerard 1067

Announcements 1072

Author Index 1073

Key Word Index 1077

Volume Contents iii